Margaret B. Maurer, Head, Catalog and Metadata Kent State University Libraries mbmaurer@kent.edu 330-672-1702

Amey L. Park, Database Maintenance Librarian Kent State University Libraries apark@kent.edu 330-672-7875

Table of Contents

Page(s)

Tag Descriptions Suppressing/Unsuppressing Records OhioLINK Limits on Changes/Day	1 1
Summary Steps	
Step 0. Pre-processing	5-6
Step 1. Master List Creation	7-8
Step 2. OhioLINK Resources	9-10
Step 3. Ebooks, Kent	11
Step 4. AV, Kent	12-13
Step 5. Serials, Intergrating resources, and Collections, Kent	14-17
Step 6. "Other", Kent	18
Step 7. Display code g	19
Appendix A: Difference between Proxy and rave.ohiolink.edu URLs	20
Appendix B: Global Update Tips	21
Appendix C: Tips for Reviewing Lists Manually	
Appendix D: Collections with 856 or 956 Fields at Kent	

Tag Descriptions

- <u>856</u> = Access is open to ALL OhioLINK members (e,g, items paid for by OhioLINK, government documents, free items).
 - a. These links display in the bibliographic section of the record in OhioLINK.
 - b. The intention is to show that they are freely available to all patrons.
 - c. At Kent, this includes URLs that are on bibliographic records for non-licensed monographs).
- <u>956</u> = Access is available only to a local institution (e,g., items paid for by a local institution, site restrictions via licensing agreements).
 - a. These links display in OhioLINK along with the individual institution.

b. The implication is that they are available only to patrons of that particular institution.

Suppressing / Unsuppressing Records

<u>Note</u>: Anytime you change a tag from an 856 to a 956, you should suppress and unsuppress the record (BCODE3) so that the change is made to the central database. This applies to BOTH retrospective and current cataloging efforts.

Limit changes that affect OhioLINK indexing to 5,000/day. Changes that do not affect indexing can number 10,000/day.

Affect indexing?	Action	Change limit/day
Yes	 Change BCODE3 to suppress/unsuppress a record 	5,000/day
Yes	 Change a tag from 856 to 956 AND change BCODE3 to suppress/unsuppress the same group of records as two separate processes 	5,000/day
Yes	New record contributions	5,000/day
No	 Change a tag from 856 to 956 	10,000/day
No	 Change BCODE3 from one form of display status to another, or from one form of unsuppressed status to another 	10,000/day

OhioLINK Limits on Changes/Day

Summary Steps

Pre-processing

- 0.1. Create a list of records with 856 fields for specific groups of materials. See Appendix D.
 - a. List any identifying features of each group that could help you create separate lists from them.
 - b. Create one big list, then create smaller lists from that one for each individual group of records.
- 0.2. Globally update tags JUST FOR THESE URLs from 856 to 956. See Appendix A for tips on Global Updates. Note that some records might have other URLs that shouldn't be updated at this point. [Total changed at Kent: 9,236 records]
 FWP = Free With Press

a. JSTOR	. [Kent: 2,192 records]
dAnnual Reviews	. [Kent: 68 records]
b Haworth Press	. [Kent: 44 records]
cTaylor and Francis (FWP)	. [Kent: 188 records]
fIngenta (FWP)	. [Kent: 43 records]
gWiley (FWP)	. [Kent: 80 records]
hIEEE	. [Kent: 24 records]
iNBER Working papers	. [Kent: 5,164 records]
jBioOne (FWP)	. [Kent: 53 records]
kBIS Working Papers	. [Kent: 149 records]
IReviews of University Press	. [Kent: 293 records]
m. Microfiche Oregon	. [Kent: 559 records]

0.3 Ask regional libraries if they have purchased any local e-collections that can be easily identified and flipped to 956 fields.

Master list creation

- Create a list of all non-suppressed bib records that have an 856. [Kent: 189,542 records]
 1A. Create a sub-list from list 1 that eliminates suppressed records, theses and
 - dissertations, Ebscohost records, and government documents. [Kent: 80,679 records]

OhioLINK resources

- 2. From list 1A, create a list of records that have links to OhioLINK resources. [Kent: 40,257 records]
 - 2A. From list 2, identify records that ALSO have a link to a locally owned resource. [Kent: 19,699 records]
 - 2AA. From list 2A, eliminate netLibrary links. [Kent: 7,696 records]
 - 2AAA. From list 2AA, eliminate Safari Ebooks [Kent: 1,781 records]
 - 2AAAA. From list 2AAA, eliminate ACLS History Ebooks. [Kent: 405 records]

 2AAAA-1. From list 2AAAA, eliminate records that have only one 856 with "ebscohost". [Kent: 359 records]
 <u>Result</u>: Manually examine all remaining records and change local resources to 956 fields. See Appendix C for tips.

Kent e-books

- 3. From list 1A, create a list of all Kent ebooks. [Kent: 1,913 records]
 - <u>Result</u>: Globally change all tags to 956. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database. Limit of 5,000 total records/day.

<u>Kent AV</u>

4. From list 1A, create a list of all remote electronic AV. [Kent: 5,493 records]

- 4A. From list 4, eliminate remote OhioLINK AV. [Kent: 3,633 records]
 - 4AA. From list 4A, eliminate Naxos Music Library material. [Kent: 164 records]
 - <u>Result</u>: Manually examine records and change locally owned resources to 956 fields. See Appendix C for tips. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database. Limit of 5,000 total records/day.
 - 4AAA. From list 4A, identify Naxos Music Library material. [Kent: 3,469 records]
 - <u>Result</u>: Globally change tags from 856 to 956 fields. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database. Limit of 5,000 total records/day.

Kent serials, integrating resources, and collections

- 5. From list 1A, create a list of all non-OhioLINK material. [Kent: 40,423 records]
 - 5A. From list 5, create a list of records for American Periodical Series records. [Kent: 1,737 records]
 - <u>Result</u>: Globally change tags from 856 to 956 fields. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database. Limit of 5,000 total records/day.
 - 5AA. From list 5, create a list of all serials, integrating resources and collections [Kent: 6,167 records]
 - 5AAA. From list 5AA, create a list of all records that have at least one 856 field. [Kent: 4,314 records]
 - 5AAAA. From list 5AAA, create a list of all serials, integrating resources, and collections that are not OhioLINK resources, DOAJ, springerlink, or Spec Coll finding aids (Kent only). [Kent: 954 records – split into one list of 105 springer-ny titles and another of 849 records)]

- 5AAAA-1. From List 1A, create a list of all springerlink titles. [Kent: 165 titles]. These will be examined manually because some of them should be 856 rave.ohiolink.edu fields, others will be changed to 956 springerlink URLs, and for others the link will be deleted. See Appendix C for tips. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database
- 5AAAA-2. From list 5AAAA, eliminate those with only one 856 with "gpo". [Kent: 821 records]

<u>Result</u>: Manually examine all remaining records and change local resources to 956 fields. Identify patterns for possibly global updating (e.g., portal acm material). See Appendix C for tips. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database

Other material at Kent

From list 1A, create a list of items that may have been missed. [Kent: 72 records]
 <u>Result</u>: Manually examine and change locally owned resources to 956 fields. See
 Appendix C for tip. Suppress and unsuppress the record (BCODE3) so that
 the change is made to the central database.

Change BCODE3 from "g" to "-"

From all bib records, create a list of items with a DISPLAY code = g. [Kent: 43,448 records].
 Limit of 5,000 total records/day (including both steps, in other words, you can rapid update step 1 on 5,000 records, then rapid update step 2 on the same 5,000 records in one day.

<u>Result</u>: Step 1. Rapid update BCODE3="g" to "z" Step 2. Rapid update BCODE3="z" to "-"

Tell Meg (meg@ohiolink.edu) when you've completed this step.

GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC

0. Pre-processing flips of individual groups of records from 856 to 956.

Pre-Proces	Pre-Processing See Appendix D		
0.1	Create a list of all bibliographic records that have a link to	Type of list = bibliographic Range of list = all bibliographic records	
	JSTOR [Kent: 2,192 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (jstor.org)	
	Annual Reviews [Kent: 68 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (arjournals.annualreviews)	
	Haworth Press [Kent: 44 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (haworthpress.com)	
	Taylor & Francis (FWP) [Kent: 188 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (informaworld)	
	Ingenta (FWP) [Kent: 43 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (ingentaconnect.com)	
	Wiley: (FWP) [Kent: 80 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (interscience)	
	IEEE [Kent: 24 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (ieeexplore)	

GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC
	NBER Working papers [Kent: 5,164 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (NBER)
	BioOne (FWP) [Kent: 53 records] BIS Working Papers [Kent: 149 records] Reviews of University Press [Kent: 293 records]	 Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (bioone) Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (www.bis.org) Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (h-net.org)
	Microfiche Oregon [Kent: 559 records]	Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (millrace.uoregon) These specific 856 fields need to be flipped to 956. Note: Not all of the 856 fields in the records—just these. You can change 10,000 records/day.

GROUP PROCESS / DEFINITION	CREATE LIST LOGIC
----------------------------	-------------------

Master List Creation		
1	Find all bibliographic records that have a 856 URL.	Type of list = bibliographic Range of list = all bibliographic records Type (b) [bibliographic]; field (! 856); condition (>) [greater than]; value (blank) RESULT: [Kent: 189,542 records]
1A	From List 1, exclude suppressed records, theses and dissertations, Ebscohost records and government documents. This is the MASTER LIST from which all other lists are based.	 Type of list = bibliographic Range of list = Review file 1 [All bibs with 856] Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (!=) [not Equal to]; value (s) [Suppressed] [other institutions might need to eliminate BCODE3=z here.] A [AND] Type (b) [bibliographic]; field (30) (Mat Type); condition (!=) [not equal to]; value (z) [Theses & Dissertations] A [AND] Type (b) [bibliographic]; field (1003); condition (A) [all fields don't have]; value (EbpS) A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (a) [autonomous] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (c) [multilocal] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (f) [federal] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (f) [federal] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (f) [federal] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (f) [federal] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (I) [local]

GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC
		 A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (m) [multistate] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (o) [government publication, level undetermined] A [AND] Type (b) [bibliographic]; field (008 position 28) [Govt Pub]; condition (!=) [not equal to]; value (s) [state] RESULT: [Kent: 80,679 records]
		Note: Kent corrected 93 dissertations and theses MAT TYPE to "z" first.

Displaying the "Govt Pub" code while in Create List

- 1. In the "Field" box, type ! for the MARC tag
- 2. Enter **008**.
- 3. Click on the box that says "MARC tag". You'll get an expanded box of options.
- 4. Click on the tab for "MARC21" and select **d5 Govt. Pub**.

GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC

OhioLIN	OhioLINK Resources		
2	From List 1A, find all bibliographic records that have links to OhioLINK resources.	Type of list = bibliographic Range of list = Review file 1A Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (=) [equal to]; value (g) RESULT: [Kent: 40,257 records]	
2A	 From List 2, find all bibliographic records that have links to OhioLINK resources and at least one other link to a locally purchased/leased resource. Note that this list (and therefore derivative lists) also includes records with single links to OhioLINK resources with non- rave URLs. 	Type of list = bibliographic Range of list = Review file 2 Type (b) [bibliographic]; field (! 856 u); condition (O) [At least one field doesn't have]; value (rave.ohio) RESULT: [Kent: 19,699 records]	
2AA	From List 2A, exclude netlibrary records (which do not have rave links).	Type of list = bibliographic Range of list = Review file 2A Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't have]; value (NetLibrary) RESULT: [Kent: 7,696 records]	

2AAA	From List 2AA, exclude Safari Ebooks (which do not have	Type of list = bibliographic Range of list = Review file 2AA
	rave links).	Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't have]; value (safaribooksonline)
		RESULT: [Kent: 1,781 records]
2AAAA	From List 2AAA, exclude ACLS History Ebooks.	Type of list = bibliographic Range of list = Review file 2AAA
		Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't have]; value (handle.net)
		RESULT: [Kent: 405 records]
2AAAA-1	From List 2AAAA, exclude records that only have one 856 with ebscohost.com in the	Type of list = bibliographic Range of list = Review file 2AAA
	record.	Type (b) [bibliographic]; field (! 856 u); condition (O) [at least one field doesn't have]; value (ebscohost.com)
		RESULT: [Kent: 359 records]
		Manually examine all remaining records and change local resources to 956 fields. See Appendix C for tips.

GROUP PROCESS / DEFINITION CREATE LIST LOGIC	

Ebooks,	Kent	
3	From List 1A, create a list of all Kent State eBooks.	Type of list = bibliographic Range of list = Review file 1A
		Type (b) [bibliographic]; field (30) (Mat Type); condition (=) [equals]; Value (@) A [AND] Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (!=) [not equal to]; value (g)
		RESULT: [Kent: 1,913 Ebrary titles]
		Globally updated the 856 fields to 956. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

GROUP PROCESS / DEFINITION CREATE LIST LOGIC			
	GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC

AV, Ken	t	
4	From List 1A, find all remote electronic AV.	Type of list = bibliographic Range of list = Review file 1A
		Type (b) [bibliographic]; field (30) (Mat Type); condition (=) [equals]; value (g) O [OR] Type (b) [bibliographic]; field (30) (Mat Type); condition (=) [equals]; value (j)
		RESULT: [Kent: 5,493]
4A	From List 4, exclude all OhioLINK remote electronic AV	Type of list = bibliographic Range of list = Review file 4
		Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (!=) [not equal to]; value (g)
		RESULT: [Kent: 3,633]
4AA	From List 4A, exclude Naxos records.	Type of list = bibliographic Range of list = Review file 4A
		Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't]; value (naxosmusiclibrary)
		RESULT: [Kent: 164]
		Manually examine all remaining records and change local resources to 956 fields. See Appendix C for tips. If you change the tag from 856 to 956, suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC

4AAA	From List 4AA, find all records for Naxos music.	Type of list = bibliographic Range of list = Review file 4A
		Type (b) [bibliographic]; field (! 856 u); condition (h) [has]; value (naxosmusiclibrary)
		RESULT: [Kent: 3,469]
		Globally updated the 856 fields to 956. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

Serials,	integrating resources, and collec	tions, Kent
5	From List 1A, find all records that are not obtained as OhioLINK resources.	Type of list = bibliographic Range of list = Review file 1A Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (!=) [not equal to]; value (g) RESULTS: [Kent: 40,423]
5A	From List 1A, find American Periodicals Series titles.	Type of list = bibliographic Range of list = Review file 5 Type (b) [bibliographic]; field (! 830); condition (h) [has]; value = (American periodical series) RESULTS: [Kent: 1,737 records Globally updated the 856 fields to 956. Suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

5AA	From List 5, find all records for serials, integrating resources and collections. These may also contain links to OhioLINK resources.	Type of list = bibliographic Range of list = Review file 5 Type (b); [bibliographic]; field (29) (Bib Lvl); condition (=) [equals]; value (i) [integrating resources] O [OR] Type (b); [bibliographic]; field (29) (Bib Lvl); condition (=) [equals]; value (s) [serials] O [OR] Type (b); [bibliographic]; field (29) (Bib Lvl); condition (=) [equals]; value (c) [collections] RESULTS: [Kent: 6,167 records]
5AAA	From List 5AA, create a list of records that have at least one 856 field.	Type of list = bibliographic Range of list = Review file 5AA Type (b); [bibliographic]; field (! 856 u); condition (h) [has]; value (a) RESULTS: [Kent: 4,314 records]

GROUP PROCESS / DEFINITION CREATE LIST LOGIC
--

5AAAA	From List 5AAA, exclude OhioLINK resources, DOAJ, or	Type of list = bibliographic Range of list = Review file 5AAA
	Spec Coll finding aids (Kent only).	Type (b) [bibliographic]; field (! 730); condition (O) [at least one field doesn't have]; value = (Directory of open access journals)
		A [AND] Type (b) [bibliographic]; field (! 856 u); condition (O) [at least one field doesn't have]; value (rave.ohiolink)
		A [AND] Type (b) [bibliographic]; field (! 856 u); condition (O) [at least one field doesn't have]; value (speccoll.library) [Kent only]
		RESULTS: [Kent: 1,019 records] At Kent, we created two lists: 105 springer-ny titles and the remaining 849 records.
		* Note – at Kent, we later created a separate list of 165 springerlink titles (856 has springerlink)
5AAAA-1	From List 1A, create a list of all springerlink titles.	Type of list = bibliographic Range of list = Review file 1A
		Type (b) [bibliographic]; field (! 856 u); condition (h) [HAS]; value (springerlink)
		RESULTS: [Kent: 165 records] These will be examined manually because some of them should be 856 rave.ohiolink.edu fields, others will be changed to 956 springerlink URLs, and for others the link will be deleted. Manually examine all remaining records and change local resources to 956 fields. See Appendix C for tips. If you change the tag from 856 to 956, suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

Г			
	GROUP	PROCESS / DEFINITION	CREATE LIST LOGIC

5AAAA-2	From List 5AAAA, exclude all records that have only one 856 with "gpo"	Type of list = bibliographic Range of list = Review file 5AAAA Type (b) [bibliographic]; field (! 856 u); condition (O) [at least one field doesn't have]; value (gpo)
		RESULTS: [Kent: 821 records] Manually examine all remaining records and change local resources to 956 fields. See Appendix C for tips. If you change the tag from 856 to 956, suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

GROUP PROCESS / DEFINITION	CREATE LIST LOGIC

"Other" for	Kent	
6	From List 1A, create a list of	Type of list = bibliographic
	Kent resources that might have	Range of list = Review file 1A
	fallen through the cracks.	Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (!=) [not equal to]; value (g)
		A [AND] Type (b); [bibliographic]; field (30) (Mat Type); condition (!=) [not equal to]; value (@) [ebooks];
		A [AND] Type (b); [bibliographic]; field (30) (Mat Type); condition (!=) [not equal to]; Value (s) [serials]
		A [AND] Type (b); [bibliographic]; field (30) (Mat Type); condition (!=) [not equal to]; Value (g) [videorecordings]
		A [AND] Type (b); [bibliographic]; field (30) (Mat Type); condition (!=) [not equal to]; Value (j) [sound recordings]
		 A [AND] Type (b); [bibliographic]; field (29) (Bib Lvl); condition (!=) [not equal to]; (i) [integrating resources]
		A [AND] Type (b); [bibliographic]; field (29) (Bib Lvl); condition (!=) [not equal to]; (c) collections]
		A [AND] Type (b); [bibliographic]; field (! 856 u); condition ((!=)) [all fields have]; value (gov) [to exclude gov publications and LC TOC links]
		A [AND] Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't have]; value (gpo) [eliminates more gov docs]
		A [AND] Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't have]; value (speccoll.library) [Kent only]
		 A [AND] Type (b) [bibliographic]; field (! 856 u); condition (A) [all fields don't have]; value (library.kent.edu) [Kent only]
		RESULT: [Kent: 72 records] that will be manually examined. See Appendix C for tips. If you change the tag from 856 to 956, suppress and unsuppress the record (BCODE3) so that the change is made to the central database.

Display Co	de Value g	
Display Co 7	de Value g From the entire database, find all records that are BCODE=g.	Range = All bibliographic records Type (b) [bibliographic]; field (31) (Display) [BCode 3]; condition (=) [equal to]; value (g) RESULT: [Kent: 43,448 records] Change only 5,000 records/day in the following two-step process. Rapid update (31) (Display [BCODE3] from "g" to "-" Step 1. Display [Bcode 3] = (g) changed to (z) Step 2. Display [Bcode 3] = (z) changed to (-) Both of these steps can be done in one day on the 5,000 records. Kent note: Do this through the original review file created for step 7
		Kent note: Do this through the original review file created for step 7 because "z" is used for our dissertations/theses.

Tell Meg Spernoga (meg@ohiolink.edu) when this step is completed for your library.

Appendix A: Difference between Proxy and rave.ohiolink.edu URLs

<u>Proxy URL</u> links should be in 956 fields because they can only be used by patrons of a particular institution.


Proxy URLs and rave.ohiolink.edu URLs should be split into two fields. One bib record can contain separate OhioLINK-wide URLs (in an 856 field) and a local proxy URL (in a 956 field). Do NOT combine the proxy URL and the rave.ohiolink.edu URL into one 856 field.

Example:

- 856 40 |uhttp://<mark>rave.ohiolink.edu</mark>/etdc/view?acc_num=csu1218818393|zConnect to this paper in the ETD Center
- 956 40 |uhttp://<mark>proxy.ulib.</mark>csuohio.edu:2050/login?url=http://rave.ohiolink.edu/ etdc/view?acc_num=csu1218818393|zConnect to this paper in the ETD Center

Appendix B: Global Update Tips

- 1. Within Global Update, select "Review" as opposed to "Index"
- 2. Search for your list of records to update.
- 3. In the "Command Input" tab, select "Change variable-length field"
- 4. Uncheck the "Use Displayed Field" box.
- 5. In the first "MARC Tag" box, type "856"
- 6. In the first "Data" box, type some data from the 856 field
- 7. In the second "MARC Tag" box, type "956"
- 8. In the second "Data" box, type the same data from the 956 field. Note that you're not changing the data in the fields, just the tag.



Appendix C: Tips for Reviewing Lists Manually

Once you your list is narrowed down and you're at the point of investigating each remaining title manually (at Kent, this was lists 2AAAA-1, 4AA, 5AAAA-1, and 5AAAA-2), it's easiest to review these if you sort them by URL and email the resulting list to your email account.

Advantages:

- 1. Allows you to scan the 856 links, skipping irrelevant ones.
- 2. The URLs stand out, making them easy to review (as opposed to viewing them embedded in a bib record)
- 3. You can batch the type of work on similar URLs.

<u>Steps</u>

- 1. In the "**Create List**" function, select your list by clicking on its name, then click on "**Sort**"
- 2. Type (b) [bibliographic] Field ! 856|u [MARC tag, 856 #u]
- 3. Click **"Sort/Save**". You will probably end up with more than your original number of records because some records have more than one 856 field.
- 4. Click on "List Records"
- 5. Type (b) [bibliographic] Field 81 [Bibliographic number]
- 6. Click on "Append"
- 7. Type (b) [bibliographic] Field ! 245 [MARC tag, 245]
- 8. Click on "Append"
- 9. Type (**b**) [bibliographic] Field **! 856|u** [MARC tag, 856 #u]
- 10. Change "Number of blank lines between records" to "1" (or more)
- 11. Check the boxes for
 - Number the records in the list. (very important)
 - Display each variable-length line field on a new line (very important)
 - If listing bibliographic title, print it in uppercase (optional)
- 12. Click "**OK**"
- 13. Select "**email printer**" and type your email address to email the list to yourself.
- 14. From the email list, you can easily scan the URLs, skipping those that can remain in 856 fields and going to the corresponding number in the list to find the bib record for those that should be 956 fields.

See screen capture on next page.

Appendix C: Tips for Reviewing Lists Manually (continued)

eate List	ts Funct	ions			Append		Copy Empt		Resume	<u>p</u>	uspend Set	ttir
	Review Fil	es Saved Searches										
lillennium		All 🔻 Sear	rch Records	Sort Records	List F	Records	Export Reco	rds S	how <u>R</u> ecords	Show I	nfo	
	File	Name	/	List Format	-		• •	× atus	Initials	Created	d [date/time]	ī
	439	zalp, springerlink 856 to	o check	List Format				<u>ڪ ie</u>	alp	02-03-200	9/15:06'45	,
Catalog	455	zalp, 6 other Kent resou	irces to chec		st BIBLIOGR	APHIC Inform	nation	te	alp	02-17-200	9/11:16'53	1
	454	zalp, 5AAAA-1 serials s	pringer-ny to	Fields to be listed			identifi i	te	alp	01-28-200	9 / 19:23'38	, T
	441	zalp, 5AAAA 856 serials		Line Type		Field	1	te	skhb	02-10-200	9 / 14:56'50	ŗ
	458	zalp, 4AA Kent remote e	elec AV 856 to	1 b	RECO		Append	te	alp	02-01-200	9 / 19:06'00	ŗ
bal Update	446	zalp, 2AAAA 856 OhioLI	NK resources		APHIC MARC		- mppend	te	alp	02-10-200	9 / 14:34'27	
4	990	zalp, 1A master 856 list			APHIC MARC			te	alp	01-27-200	9 / 14:27'30	j
₩ 🔁 👘	496	ydx.ksu.fm.do.90213				, ug com	Insert	te				
	493	ydx.ksu.ap.do.90211.FIF	RW				insert	te				
pid Update	494	ydx.ksu.ap.do.90203.FIF	RM					te				
	497	ydx.ksu.ap.do.90126.AF	PPR				Delete	te				
↔	504	YBPendclaimlist					Delete	te	rsh	11-07-200	08 / 15:11'36	i
<u> </u>	491	YBP ORDERS FOR REVIE	EW			-		te	sam	02-12-200	9 / 17:39'35	j
eate Lists	490	YBP FIRM ORDERS 2.12	.09				1	te	sam	02-12-200	9 / 17:38'54	Ļ
. -	401	wright american fiction		Page heading				te	dmc		08/07:41'50	
	849	weeding candidates (Th		Starting record (1-77)	1		te	tek)5 / 13:06'07	
ete Records	885	WEEDED QE Classified		Ending record (1	77)	i.	7	te	kis		08/20:11'22	
ale necords	884	WEEDED QA Classified	Serials			i-		te	kis		08/20:10'31	
	875	WEEDED ND Classified	3611013	<u>N</u> umber of blank	iines betwee	en recoras []		te	kis		08 / 19:26'06	
F -	873	WEEDED JX Classified		☑ Number the r	ecords in th	e list		te	kis		08 / 13:25'54	
lete Items	872	WEEDED JK Classified		🗌 Display mean	ings of fixed	l lenath field	s instead of co	des te	kis		08 / 19:23'33	_
	871	WEEDED JF Classified S		- Display mean	ingo or nace	riengarneia	3 113(000 01 00	re	kis		08 / 19:22'21	
	874	WEEDED J Classified S		Display each	variable-len	gth field on a	new line	te	kis		08 / 17:37'31	
	881	WEEDED HC Classified		Display labels	s for variable	lenath field	e	te	kis		08 / 19:26'50	
idings Rpts	879	WEEDED H - HB Classifi				-		te	kis		08 / 19:28'13	
	886	WEEDED DR - DS Classi	fied Serials	✓ If listing biblic	ographic title	e, print it in u	opercase	te	kis		08/20:12'14	_
圃	127	VET Tech Collection				[te	trb		08 / 15:23'05	
Here a	126	Vet tech 2005-present			0 <u>K</u>	<u>C</u> ancel		te	trb		08/11:06'47	
tatistics	131	Unnamed			,			te	eeh		8 / 16:29'29	
4	295	Unnamed		00	00			9/9iqmo	eeh		08 / 16:30'13	
	527	Undergraduate Third St			500			complete	kis		9 / 00:55'11	
	528	Undergraduate Second			500		-	complete	kis		9/01:05'01	
a Exchange	526	Undergraduate Master	statement of C.	. 582	1500		p i	complete	kis	U2-14-200	9 / 00:45'31	

Appendix D: Collections with 856 or 956 Fields at Kent

856 or 956	Title of Group	Identifying features	Monograph or Serial?	Other work needed / Notes
856	ABC-CLIO	rave.ohiolink.edu (856) abc-clio (533)	Monograph	
856	ACLS History E-books	Handle.net	Monograph	
856	ACM	portal.acu.org (856)	Serial	
856	ACS	pubs.acs.org. (856)	Serial	
856	Ambrose	rave.ohiolink.edu (856)	Monograph	Videos
856	American Periodical Series		Serial	
956	Annual Reviews	arjournals.annualreviews. (856)	Serial	
956	BioOne	bioone	Monograph	Free with print
956	BIS Working papers	www.bis.org (Include the full URL to avoid gov docs)	Monograph	
856	Chadwyck Healey	rave.ohiolink.edu(856) chadwyck healey (856)	Monograph	Poetry
856	Digital Archive		Monograph	Ohio State Pol.
856	DOAJ (Directory of Open Access Journals)	730 = Directory of open access journals	Serial	
956	Ebrary	Ebrary (856)	Monograph	
856	Ebscohost records	Ebscohost (856)	Monograph	
856	EJC (Electronic Journal Center)	rave.ohiolink.edu. (856)	Serial	e-journals. Cataloged by TechPro
856	ETD (Electronic theses and dissertations)	rave.ohiolink.edu (856)	Monograph	
856	FFHS (Films for the Humanities and Sciences)	rave.ohiolink.edu (856)	Monograph	

Appendix D: Collections with 856 or 956 Fields at Kent (continued)

856 or 956	Title of Group	Identifying features (856 is the original location for the data)	Monograph or Serial?	Other work needed / Notes
856	Gale	rave.ohiolink.edu (856) Gale (533)	Monograph	
956	Haworth Press	haworthpress.com. (856)	Serial	Free with print
956	IEEE	ieeexplore	Monograph	e-book purchase
956	Ingenta	ingentaconnect.com. (856)	Serial	Free with print
956	JSTOR	jstor.org. (856)	Serial	
856	Learning express library	Learningexpresslibrary (856)	Serial	Online tests
956	Microfiche Oregon	millrace.uoregon	Monograph	
856	National Academy Press	nap.edu Include the URL as written, not just "nap"	Monograph	
956	NAXOS	naxosmusiclibrary	Monograph	Part of the url is "ohiolink", but this is paid for by Kent.
956	NBER Working Papers	NBER	Monograph	
856	netlibrary	NetLibrary	Monograph	
856	OhioLINK material	rave.ohiolink.edu. (856)	Serial	Added to print material
956	Ovid e-books	E-Books (Ovid) (856) Ovid (533)	Monograph	
956	Ovid e-journals	E-Journals (Ovid) (856) Ovid (533)	Serial	
856	Oxford	rave.ohiolink.edu (856) Oxford (533)	Monograph	
956	Proxy links	proxy (856)	Monograph Serial	
856	Rand Reports	Rand.org Include the URL as written to avoid false hits	Monograph	Cat seps.
956	Reviews of Univ. Press	h-net.org	Monograph	Pull out all GPO
856	Safarai e- books	Safaribooksonline (856)	Monograph	
856	Sage	rave.ohiolink.edu (856) Sage (533)	Monograph	

Appendix D: Collections with 856 or 956 Fields at Kent (continued)

856 or 956	Title of Group	Identifying features (856 is the original location for the data)	Monograph or Serial?	Other work needed / Notes
856	Spec Coll finding aids	Speccoll.library. (856)	Serial	
856	Spec Coll finding aids	Speccoll	Monograph	
856	Springer e- books	rave.ohiolink.edu (856) Springer (533)	Monograph	
956	Springerlink	Springerlink (856)	Serial	Journals provided by Springer/Kluwer and paid for by Kent. Some of Kent's current (02/09) URLs say "springerlink", but they should have a rave OhioLINK URL or be deleted. Eventually, all Springerlink URLs will be 956.
956	Taylor and Francis	Informaworld. (856)	Serial	Free with print
956	Wiley interscience (FWP)	interscience. (856)	Serial	Free with print
956	Wiley/Blackwell	Blackwell.synergy . (856)	Serial	Take out the "gov" in url titles